

## Bright, Detailed Displays in a Compact Package



### PRODUCT FEATURES

- 3-chip DLP™ technology
- Lowest cost of operation
- 10-bit Image Processing Module
- Digital Black Level Adjustment
- Highest contrast - 1600:1 - 2000:1
- Built-in light shutter, optional stacking/rigging
- Wide range of high-performance lenses
- Comprehensive Color Adjustment (CCA™)
- LiteLOC™ Light Output Control
- Cermax® Xenon lamp system

### WHAT'S IN THE BOX:

#### Christie DS+5K — 38-DSP104-01

IR keypad (w/batteries)  
Line cord  
User manual

### Optional Accessories:

Lamp - 1.0 kW	03-000833-01P
0.73:1 Fixed lens	38-809088-01
1.2:1 Fixed lens	38-809095-01
1.45-1.8:1 Zoom lens	38-809089-01
1.8-2.5:1 Zoom lens	38-809090-01
2.5-4.5:1 Zoom lens	38-809091-01
4.5-7.3:1 Zoom lens	38-809092-01
ChristieTWIST™ Image Warping and Edge-Blending module	TBD
Dual SD/HD-SDI Input module	38-804656-01
SDI Input module	38-804602-01
DVI interface module	38-804614-01
Shipping case	TBD
Stacking kit	TBD
Ceiling mount	104-100001

Specifications are typical and subject to change without notice. For current specifications, please visit [www.christiedigital.com](http://www.christiedigital.com). Copyright 2005 Christie Digital Systems, Inc. All rights reserved. All brand names and product names are trademarks, registered trademarks or tradenames of their respective holders. The DLP™ logo is a trademark of Texas Instruments.

### Technical Specifications

Brightness	6,500 ANSI lumens @ 110 VAC 5,500 ANSI lumens @ 208 VAC
Contrast Ratio (full on/off)	1600:1 to 2000:1
Weight	72 lb (32.1 kg)
Size (L x W x H)	22.3 x 26 x 12.3" (660 x 566 x 313mm)
HDTV Formats	Accepts all current HDTV/DTV formats
SDTV	Component - via BNC or DVI Composite, S-Video
Digital Input	DVI-I with HDCP
Networking	On-board ChristieNET™ Optional ChristieNET™ WAVE Optional ChristieNET™ WAVE-DVD
Lamp Type (quantity)	1.0 kW CERMAX® Xenon (x1)
Lamp Life (typical)	1500 hours per lamp
Native Resolution	SXGA+ (1400 x 1050)
Maximum Resolution	QXGA (2048 x 1536)
Display type	3-chip DLP™
H-Sync Range	15 kHz to 120 kHz
V-Sync Range	23.97 Hz to 150 Hz
Maximum Power	1600W
Thermal Dissipation	5460 BTU/hr

[www.christiedigital.com](http://www.christiedigital.com)

US: 1 866 880 4462  
Canada: 1 800 265 2171